

Chapter 2 Exam
A. P. Calculus
Mr. Lemay
September 13, 2002

Section I, Part A
Time-16 minutes Number of questions - 8
A CALCULATOR MAY NOT BE USED ON THIS PART OF THE
EXAMINATION
(Worth 25% of Exam)

Directions: Solve each of the following problems, using the available space for scratch work. After examining the form of the choices, decide which is the best of the choices given. Clearly mark your selection.

1. Determine $\lim_{x \rightarrow 5} (2x^2 - 4x + 7)$ by substitution
(A) 7 (B) 12 (C) 37 (D) 47 (E) 57

$$\begin{aligned} 2(5)^2 - 4(5) + 7 \\ 50 - 20 + 7 \\ 30 + 7 \end{aligned}$$


2. Find $\lim_{x \rightarrow 2} \frac{x^2 + x - 6}{x - 2}$, if it exists. $\frac{4 + 2 - 6}{2 - 2}$ $\frac{0}{0}$
(A) 0 (B) 3 (C) 5 (D) 6 (E) Does not exist

$$\frac{(x+3)(x-2)}{\cancel{x-2}}$$

lim $x \rightarrow 2$ $x+3 = 5$

NO Grapher

3. For the function $y = f(x)$ whose graph is shown below, which statement is false:



- (A) $\lim_{x \rightarrow 1} f(x) = 1$ ✓
- (B) $\lim_{x \rightarrow 2^-} f(x) = 2$ ✓
- (C) $\lim_{x \rightarrow 0^+} f(x) = \lim_{x \rightarrow 0^-} f(x)$ ✓
- (D) $\lim_{x \rightarrow -1} f(x) = 2$ ✓
- (E) $\lim_{x \rightarrow -1^-} f(x) = 1$ ✓

Jump discontinuity

4. Let $f(x) = \begin{cases} x^2 - 2, & x < 1 \\ -\frac{1}{2}x + 1, & x \geq 1 \end{cases}$. What is $\lim_{x \rightarrow 1^+} f(x)$? 1 from RT,

- (A) -1
- (B) $\frac{1}{2}$ ✓
- (C) 1
- (D) 1.73
- (E) Does not exist

$$-\frac{1}{2}(1) + 1 = \frac{1}{2}$$


NO 6.0 paper

5) Find $\lim_{x \rightarrow 3^+} \frac{x+3}{x-3}$

- (A) 0 (B) 6 (C) -6 (D) $-\infty$ (E) ∞

$$\frac{6}{0}$$

$\frac{6}{\text{Small} + \text{in}}$
 $3.01 - 3 \uparrow$



- 6 Which of the following is a horizontal asymptote for $f(x) = \frac{6x^2 + 2x - 4}{2x^2 + 3x + 2}$?
- (A) $y = -3$ (B) $y = -2$ (C) $y = 2$ (D) $y = 3$ (E) $y = 4$

Same power

We are looking @

$\lim_{x \rightarrow -\infty} f(x)$ and $\lim_{x \rightarrow \infty} f(x)$

In either case

$$\frac{6x^2 + 2x - 4}{2x^2 + 3x + 2}$$

Out @ $-\infty$ w ∞ The only term that matters is

$$\frac{6x}{2x} = 3$$

No grapher

Practice Exam 9-2011

7. Find $\lim_{x \rightarrow -\infty} \frac{|8x+6|}{4x-2}$
 (A) -3 (B) -2 (C) 2 (D) 3 (E) 4

Big +
 Big -

~~$\frac{8}{4}$~~

$x = -10000$

$\frac{80006}{-39998} \approx \frac{8}{-4}$

8. Which of the following is the right end behavior for $y = x^3 - e^{-x}$?
 (A) x^3 (B) $-e^{-x}$ (C) e^{-x} (D) e^x (E) $-x^3$

$\lim_{x \rightarrow \infty}$

$x^3 - e^{-x}$

(Big #)³ - $e^{-\text{Big \#}}$

(Big #)³ - $\frac{1}{e^{\text{Big \#}}}$

x^3 rules

$\frac{1}{1000000000} \rightarrow 0$

Handwritten notes on the right margin.

Section I, Part B

Time-9 minutes Number of questions - 3

A GRAPHING CALCULATOR IS REQUIRED FOR SOME QUESTIONS ON THIS PART OF THE EXAMINATION

(Worth 25% of Exam)

Directions: Solve each of the following problems, using the available space for scratch work. After examining the form of the choices, decide which is the best of the choices given. Clearly mark your selection.

1. Find the average rate of change of the function $f(x) = 2x^2$ over the interval $[1, 3]$.

(A) 4

(B) 8

(C) 12

(D) 15

(E) 16

$$f(3) = 2(9) \rightarrow 18$$

$$f(1) = 2$$

$$\frac{18 - 2}{3 - 1}$$

$$\frac{16}{2}$$

Grapher Active

2. Find the slope of the curve $y = x^2 + x$ at $x = 3$.

(A) 7

(B) 8

(C) 9

(D) 10

(E) 11

$$\lim_{h \rightarrow 0} \frac{\cancel{12} + 7h + h^2 - \cancel{12}}{h}$$

$$\frac{\cancel{h}(7+h)}{\cancel{h}}$$

$$\lim_{h \rightarrow 0} 7+h = 7$$

$$f(3+h) = (3+h)^2 + (3+h)$$

$$9 + 6h + h^2 + 3 + h$$

$$12 + 7h + h^2$$

$$f(3) = 9 + 3 = 12$$

3. Let $f(x) = \begin{cases} x^2 - 2, & x \leq 1 \\ 1.5x - 2.5, & x > 1 \end{cases}$ Determine whether the curve $y = f(x)$ has a tangent at $x = 1$.

If it does, give its slope.

(A) 1.5

(B) 2

(C) 2.5

(D) 3

(E) No tangent

$$\lim_{x \rightarrow 1^-} x^2 - 2 = -1 \quad \checkmark$$

$$\lim_{x \rightarrow 1^+} 1.5(1) - 2.5 = -1 \quad \checkmark$$

Slope on Right = 1.5

Slope on left

$$\lim_{h \rightarrow 0} \frac{h^2 + 2h - 1 + (-1)}{h}$$

$$\frac{h^2 + 2h}{h} \rightarrow \frac{h(h+2)}{h}$$

$$\lim_{h \rightarrow 0}$$

$$h+2 = 2$$

$$F(1) = -1$$

So No Tangent

Slopes not the same.

Grapher Active

AP Calculus
Section II

Time 15 minutes Number of problems 2
Percent of total grade-50

A GRAPHING CALCULATOR IS REQUIRED FOR SOME PROBLEMS OR PARTS OF
PROBLEMS ON THIS SECTION OF THE EXAMINATION.

**REMEMBER TO SHOW YOUR SETUPS AS DESCRIBED IN THE GENERAL
INSTRUCTIONS**

1. Find a value m so that the function $g(x) = \begin{cases} mx+4, & x \leq -3 \\ x^2-11, & x > -3 \end{cases}$ is continuous.

$$\lim_{x \rightarrow -3^-} = -3m + 4$$

$$\lim_{x \rightarrow -3^+} = 9 - 11 \rightarrow -2$$

$$-3m + 4 = -2$$

$$-3m = -6$$

$$m = -2$$

AP-Exam-Answers

Practice Exam 9-2011

2. For the function $f(x) = 3x^2$ at the point $(4, 48)$, find:

(a) the slope of the curve

$$\lim_{h \rightarrow 0} \frac{f(4+h) - f(4)}{h} = \frac{3(4+h)^2 - 48}{h}$$
$$= \frac{3(16 + 8h + h^2) - 48}{h} = \frac{48 + 24h + 3h^2 - 48}{h} = 24 + 3h$$

$f(4+h) = 3(4+h)^2$
 $f(4) = 48$

$$\lim_{h \rightarrow 0} (24 + 3h) = 24 = m$$

(b) an equation of the tangent line

$$y - 48 = 24(x - 4)$$

(c) an equation of the normal line

$$y - 48 = -\frac{1}{24}(x - 4)$$

Answer - Answer